


Acta musei *Richnoviensis*

Sect. natur.

7 (1)



Josef J. Halda:

Some nomenclatural changes and new descriptions in the genus *Daphne* L. 2.

Josef J. Halda et al:

Miscellanea. New descriptions

Some nomenclatorialic changes and new descriptions in the genus *Daphne* L. 2.

Některé nomenklatorické změny a nové popisy v rodu *Daphne* L. 2.

Josef J. Halda

51782 Sedloňov 125, Česká republika

Abstract. The genera *Diplomorpha* Meisn., *Rhamnoneuron* Gilg and *Wikstroemia* Endlicher belong to the genus *Daphne* L. and are united in this work; several new descriptions, many new names and combinations are made.

Keywords: *Daphne*, taxonomy, system.

***Daphne* L. subgenus *Pseudostellera* J. J. Halda subgen. nov.**

Perianthium post anthesim circumscissum.

Perianth circumscissile after flowering.

Type species: *Daphne formosana* (Hayata) Ying.

Species unica.

Daphne* L. subgenus *Pseudowikstroemia* J. J. Halda sect. *Pseudowikstroemia

Stamina supra medium tubi affixa.

Type species: *D. modesta* Rehder.

Daphne* L. subgenus *Pseudowikstroemia* J. J. Halda sect. *Pseudowikstroemia* subsect. *Pseudowikstroemia

Inflorescentia breviora capitata.

Type species: *D. modesta* Rehder.

***Daphne* L. subgenus *Pseudowikstroemia* J. J. Halda sect. *Pseudowikstroemia* subsect. *Esquirolliana* J. J. Halda subsect. nov.**

Inflorescentia longiora racemosa.

Type species: *D. esquirollii* Levl.

***Daphne* L. subgenus *Pseudowikstroemia* J. J. Halda sect.
Graciles J. J. Halda sect. nov.**

Stamina infra medium tubi affixa.

Type species: *D. gracilis* E. Pritz.

***Daphne x adamantina* J. J. Halda hybr. nov.**

[*D. petraea* Leyb. x *D. arbuscula* Celak.].

DESCRIPTIO: Fruticulus pygmaeus, ramosissimus, sempervirens, floribus roseis inter *D. petraea* and *D. arbuscula* intermedius; habitu *D. petraea* similis, foliis ambitu magnitudineque, *D. arbuscula* foliis haud dissimilibus.

Dwarf evergreen densely branched shrublet up to 10cm tall and 25cm across, with pink flowers, intermediate between both parents; the growth is closer to *D. petraea*, but leaves and flowers are much larger.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus, coll. J. J. Halda 11.6.1983. Herb. Halda no. JJH8306110

CULTIVATION: *D. x adamantina* is completely hardy at Sedlonov. It can be propagated either by grafting or by cuttings. In our garden it grows well on acid soil on its own roots. A garden hybrid, raised by J. J. Halda.

***Daphne alternifolia* (Batalin) J. J. Halda var. *multiflora*
(Lecomte) J. J. Halda stat. nov.**

[bas: *Wikstroemia alternifolia* Batalin var. *multiflora* Lecomte, Not. Syst. 3:130 (1915)].

***Daphne x ambrosiaca* J. J. Halda hybr. nov.**

[*D. malyana* Blebic x *D. petraea* Leyb.]

DESCRIPTIO: Fruticulus humilis, ramosissimus, sempervirens, floribus pallide-roseis inter *D. malyana* and *D. petraea* intermedius; habitu *D. malyana* similis; foliis magnitudineque, *D. petraea* foliis haud dissimilibus.

Dwarf evergreen densely branched cushion-like shrublet up to 8cm tall and 15cm across, with pale pink long-tubed widely open flowers; the shape of leaves and branching like a diminutive *D. malyana*.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 15.6.1980. Herb. Halda no. JJH8006015.

CULTIVATION: *D. x ambrosiaca* is completely hardy at Sedlonov. It can be propagated either by grafting or cuttings. A garden hybrid, raised by J. J. Halda.

***Daphne x ampla* J. J. Halda hybr. nov.**

[*D. sericea* Vahl x *D. striata* Tratt.].

DESCRIPTIO: Frutex foliis sempervirens, floribus roseis, habitu *D. sericea* similis; foliis ambitu magnitudineque, *D. striata* foliis haud dissimilibus.

Small evergreen shrublet up to 30cm tall and 50cm across; leaves and branching more like *D. sericea*, deep pink flowers intermediate between both species.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 6.6.1981. Herb. Halda no. JJH810606.

CULTIVATION: *D. x ampla* is completely hardy at Sedlonov. It can be propagated either by grafting or by cuttings. A garden hybrid, raised by J.J.Halda.

***Daphne austrocochinchinensis* (Lecomte) J. J. Halda emend. et stat. nov.**

[bas: *Wikstroemia elongata* A. Gray var. *austrocochinchinensis* Lecomte, Notul. Syst. (Paris) 3:130 (1915), nom. nud.; *Daphne oahuensis* (A. Gray) J. J. Halda var. *austrocochinchinensis* (Lecomte) J. J. Halda in Acta Mus. Richnov., sect. natur. 6(3):207 (1999)].

DESCRIPTIO: Frutex 1-2m altus, ramuli pubescentes. Folia opposita, lanceolata, 45-75x13-17mm magna, basi obtusa, subcoriacea, glabra; petiolus 1-2mm longus. Inflorescentia umbellata terminalis, pedunculo 7-10mm longo; perianthium 13mm longum; discus bifidus; ovarium ellipticum, stigmate clavato. Fructus non visus.

HOLOTYPE: Pierre 476; dec.1869 (P).

PATRIA et DISTRIBUTIO: Vietnam: Dong Nai, Mt. Dinh, sur les berges de la riviere.

***Daphne x beata* J. J. Halda hybr. nov.**

[*D. oleoides* Schreb. x *D. petraea* Leyb.].

DESCRIPTIO: Fruticulus humilis, ramosissimus, sempervirens, floribus pallide-roseis inter *D. oleoides* et *D. petraea* intermedius; habitu *D. oleoides* similis; foliis ambitu magnitudineque, *D. petraea* foliis haud dissimilibus.

Dwarf evergreen shrublet up to 15cm tall and 30cm across, with creamy-pink flowers with long sharp lobes; branching and leaves more like *D. oleoides*.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 8.6.1985. Herb. Halda no. 8506008.

CULTIVATION: *D. x beata* is completely hardy at Sedlonov. It can be propagated by grafting, cuttings root very slowly. A garden hybrid, raised by J. J. Halda.

***Daphne x blanda* J. J. Halda hybr. nov.**

[*D. cneorum* L. x *D. rodriguezii* Texidor].

DESCRIPTIO: Frutex foliis sempervirens, floribus roseis, habitu *D. cneorum* similis; foliis, ambitu magnitudineque, *D. rodriguezii* foliis haud dissimilibus.

Prostrate evergreen shrublet up to 30cm tall and 50cm across, with long, very unusual leafy branches; leaves and flowers intermediate between both parents.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 20.6.1992. Herb. Halda no. JJH9206020.

CULTIVATION: *D. x blanda* is not hardy at Sedlonov. We lost all plants (which were placed in our tempered greenhouse) after the winter '93. A garden hybrid, raised by J. J. Halda.

***Daphne x colorata* J. J. Halda hybr. nov.**

[*D. glomerata* Lam. x *D. tangutica* Maxim.].

DESCRIPTIO: Frutex foliis sempervirens, floribus purpureis, habitu *D. glomerata* similis, foliis, ambitu magnitudineque, *D. tangutica* foliis haud dissimilibus.

A few-branched evergreen shrublet up to 30cm tall and 60cm across, with fleshy leaves and densely crowded dark purple flowers with long tube and sharply pointed lobes.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 24. 6. 1985. Herb. Halda no. JJH8506024.

CULTIVATION: *D. x colorata* is completely hardy at Sedlonov. It can be propagated either by grafting or by cuttings. A garden hybrid, raised by J. J. Halda.

***Daphne confusa* J. J. Halda nom. nov.**

[bas: *Wikstroemia coriacea* Seeman, Fl. Vit. p.206 (1867), non Royle (1839);

Daphne foetida sensu auct. plur. et *Wikstroemia foetida* (L.f.) A. Gray in Journ. Bot. 3:302 (1865), non *Daphne foetida* L.f. Suppl. p. 223 (1775) = *Ixora* L. (Rubiaceae)].

***Daphne x cupida* J. J. Halda hybr. nov.**

[*D. sericea* Vahl x *D. glomerata* Lam.].

DESCRIPTIO: Planta inter parentes proxima; frutex foliis sempervirens, habitu *D. glomerata* similis, floribus roseis; foliis, ambitu magnitudineque, *D. sericea* foliis haud dissimilibus.

A few-branched evergreen shrublet up to 30cm tall and 50cm across, with glossy succulent large leaves and dense heads of pink long-tubed flowers.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 4.6.1987. Herb. Halda no. 8706004.

CULTIVATION: *D. x cupida* is not quite hardy at Sedlonov. A garden hybrid, raised by J. J. Halda.

***Daphne x fabulosa* J. J. Halda hybr. nov.**

[*D. malyana* Blecic x *D. cneorum* L.].

DESCRIPTIO: Fruticulus pygmaeus, ramosissimus, sempervirens, floribus roseis inter *D. malyana* et *D. cneorum* intermedius; habitu *D. malyana* similis.

Very densely branched pygmy evergreen shrublet up to 10cm tall and 25cm wide, with widely open flowers with long sharp lobes. Leaves and branching more like *D. malyana*.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 26. 5. 1984. Herb. Halda no. 8405026.

CULTIVATION: *D. x fabulosa* is quite hardy at Sedlonov. It can be propagated either by grafting or by cuttings. A garden hybrid, raised by J. J. Halda.

***Daphne fargesii* (Lecomte) J. J. Halda stat. nov.**

[bas: *Stellera fargesii* Lecomte, Not. Syst. 3:211 (1916); *Wikstroemia fargesii* (Lecomte) Domke in Notizbl. Bot. Gart. Berlin 11:361 (1932)].

***Daphne floribunda* (Merrill) J. J. Halda comb. nov.**

[bas: *Wikstroemia floribunda* Merrill in Brittonia 4:123 (1941)].

***Daphne x fortunata* J. J. Halda hybr. nov.**

[*D. stapfii* Bornm. et Keisl. x *D. petraea* Leybold].

DESCRIPTIO: Fruticulus pygmaeus, ramosissimus, sempervirens, floribus roseis inter *D. stapfii* et *D. petraea* intermedius; habitu *D. petraea* similis; folius ambitu magnitudineque, *D. stapfii* foliis haud dissimilibus.

Densely branched dwarf shrublet up to 10cm tall and 30cm across; long-tubed pink flowers with white eye in the middle.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 17. 6. 1987. Herb. Halda no. 8706017.

CULTIVATION: *D. x fortunata* is completely hardy at Sedlonov. It can be propagated either by grafting or by cuttings. A garden hybrid, raised by J. J. Halda.

***Daphne gynopoda* (Maxim. ex Makino) J. J. Halda stat. nov.**

[bas: *Wikstroemia gynopoda* Maxim ex Makino in Tokyo Bot. Mag. 6:52 (1892)].

***Daphne johnplewsii* (W. L. Wagner & Lorence) J. J. Halda
comb. nov.**

[bas: *Wikstroemia johnplewsii* W. L. Wagner & Lorence in Novon 8:318 (1998)].

***Daphne gnidium* L. subsp. *mauritanica* (Nieto Feliner) J. J.
Halda stat. nov.**

[bas: *Daphne mauritanica* Nieto Feliner in Ann. Jard. Bot. Madrid 53(2):192
(1995)].

***D. indica* L. subsp. *sericea* (Christopherson) J. J. Halda stat.
nov.**

[bas: *Daphne sericea* Christopherson in Bull. Bishop. Mus. Honolulu 86:78
(1931)].

***Daphne jarmilae* J. J. Halda spec. nov.**

DESCRIPTIO: Species ex affinitate *D. penicillatae* Rehder, sed foliis deltoideis,
minoribus 10-15mm longis longiuscule ciliatis floribus folia subaequantibus,
squamulis quis disci minimis abunde discrepat, squamulis hypogynis minimis
differt.

Fruticulus minimus 30-100mm altus caudice crasso ramis junioribus teretibus
dense aureo-setosulis vetustis glabris rugosulis. Folia alterna, inferiora
remotiuscula superiora apice ramulorum conferta, 10-15mm longa, 5-8mm lata,
obovata vel deltoidea, apice breviter acuata, basi cuneata, tenuiter membranacea,
marginem longiuscule fulvo-ciliata, supra atroviridia glabra subtus pallidiora glabra
vel subglabra, nervis supra obscuris infra distinctioribus, costa subtus paulo
elevata, nervis lateralibus circ. 3-4 paribus vix eminentibus; petiolus vix 1mm
longus basi setulosus. Flores terminales 1-3 (-5), capitati, inter summa folia
orientes, folia aequantes vel paulo superantes, bicolores, interdum lutei;
pedunculus pedicellique nulli. Perianthium 5-merum extus parcus adpresso
setulosum intus glabrum; tubus 10-15mm longus, vix 1-1.2mm latus, gracillimus,
limbi lobii elliptici vel elliptico-ovati, 4-6mm longi. Stamina 10 antheris circ. 1mm
longis. Ovarium oblongum circ. 3mm longum apicem versus pubescens, caeterum
glabrum, stylo brevissimo stigmate capitato; disci squamulae duae minimae
carnosulae oblongae vix 1mm longae. Fructus ovoides, siccus, viridis, circ. 7mm
longus.

HOLOTYPE: Farrer s.n.; leg: R. Farrer 18.2.1920 (E).

PATRIA et DISTRIBUTIO: Burma superior septentrio-orientalis: between Hsiao Chuan and Ping Lui; loamy hills in subalpine elevations.

Daphne kingdon-wardii J. J. Halda spec. nov.

DESCRIPTIO: Species ex affinitate *D. ludlowiae*, sed fruticulis majoribus; bracteis magnis lanceolatis acutis glabris margine ciliatis; floriis fragrantibus; perigonii lobis acutis, basi coarctatis differt; ovarii discus magnus unipartitus.

Fruticulus minimus 50-350mm altus caudice crasso ramis junioribus teretibus dilutis pubescentibus. Folia alterna, inferiora remotiuscula superiora apice ramulorum conferta, coriacea, longe elliptica, obtusa, 25-55mm longa et 10-18 (-22)mm lata, basi attenuata, supra atroviridia glabra subtus pallidiora glabra, nervis supra obscuris infra distinctioribus; petiolus 1-4mm longus. Bracteae magnae, lanceolateae, carinatae, 12-18mm longae et 7-10mm latae, membranaceae, glabrae, marginibus ciliatae. Flores terminales 3-6 (-12), capitati, inter summa folia orientes, folia paulo superantes, lutei; pedunculus pedicellique nulli. Perianthium tetramerum extus parcus adpresso setosulum intum glabrum; tubus 12-14mm longus, vix 2.5mm latus, limbi lobi triangulares, basi attenuati, acutiusculi, circ. 4-6mm longi. Stamina 8 antheris circ. 0,8-1mm longis. Ovarium ellipticum, 2.5-3mm longum, glabrum, stylo brevissimo stigmate capitato; discus unilateralis, circ. 0.5-0.6mm longus. Fructus ovoideus, ruber, circ. 8mm longus; semen ovoideum, nigrescens, circ. 6mm longum.

HOLOTYPE: Kingdon-Ward 136291 (BM), leg. F. Kingdon-Ward 7.5.1938.

PATRIA et DISTRIBUTIO: India boreo-orientalis: Assam, Manda La, above Dirang Dzong, 2740-3050m. "A small undershrub with sulphur yellow fls, smelling of lemon grass. Pedicel and flower silky pubescent. Scattered in Abies-Rhododendron forest."

Daphne x lepida J. J. Halda hybr. nov.

[*D. sericea* Vahl x *D. rodriguezii* Texidor].

DESCRIPTIO: Fruticulus humilis, ramosissimus, sempervirens, floribus roseis inter *D. sericea* et *D. rodriguezii* intermedius; habitu *D. sericea* similis, foliis ambitu magnitudineque, *D. rodriguezii* foliis haud dissimilibus.

Small evergreen densely branched shrublet up to 25cm tall and 40cm across, with heads of dull pink flowers.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J.J. Halda 8.6.1992. Herb. Halda no. 9206008.

CULTIVATION: *D. x lepida* is not hardy outdoor - we lost all three seedlings. A garden hybrid, raised by J. J. Halda.

***Daphne x luxuriosa* J. J. Halda hybr. nov.**

[*D. blagayana* Freyer x *D. glomerata* Lam.].

DESCRIPTIO: Frutex procumbens, foliis sempervirens, habitu inter parentes intermedius, floribus lacteis.

An evergreen procumbent shrublet up to 20cm tall and 40cm across, with glaucous leathery leaves and densely arranged flower-heads with creamy-white long-tubed flowers.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 10. 6. 1985. Herb. Halda no. 85060010.

CULTIVATION: *D. x luxuriosa* is hardy at Sedlonov. It can be propagated either by grafting or cuttings. A garden hybrid, raised by J. J. Halda.

***Daphne mucronata* Royle subsp. *turcica* J. J. Halda subsp. nov.**

DESCRIPTIO: Differt a subsp. *mucronata* inflorescentia longiora racemosa, pedunculo 15-30 (-50) mm longa.

Differs from the subsp. *mucronata* in its 15-30 (-50)mm long flower-peduncles.

HOLOTYPE: Rix no. 261, leg. E. M. Rix June 1965 (K).

PATRIA et DISTRIBUTIO: Turcia orientalis: Hakkari, Yuksekova; alt. 6000', gorge; small shrub up to 3'.

***Daphne x nobilis* J. J. Halda hybr. nov.**

[*D. glomerata* Lam. x *D. cneorum* L.].

DESCRIPTIO: Frutex procumbens, habitu *D. glomerata* similis, floribus roseis; foliis ambitu magnitudineque, *D. cneorum* foliis haud dissimilibus.

An evergreen procumbens few-stemmed shrublet up to 20cm tall and 40cm across, with dense heads of long-tubed pink flowers.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 4. 6. 1983. Herb. Halda no. 83060042.

CULTIVATION: *D. x nobilis* is hardy at Sedlonov. A garden hybrid, raised by J. J. Halda.

***Daphne x perfecta* J. J. Halda hybr. nov.**

[*D. sericea* Vahl x *D. tangutica* Maxim.].

DESCRIPTIO: Frutex foliis sempervirens, floribus purpureo-roseis, habitu *D. sericea* similis; foliis, ambitu magnitudineque, *D. tangutica* foliis haud dissimilibus.

An evergreen, vigorous shrublet up to 50cm tall and 100cm across, with dense heads of purple-pink flowers. Branching more like *D. sericea*.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 6. 6. 1983. Herb. Halda no. 8306006.

CULTIVATION: *D. x perfecta* is almost hardy at Sedlonov. A garden hybrid, raised by J. J. Halda.

***Daphne x poetica* J. J. Halda hybr. nov.**

[*D. oleoides* Schreb. x *D. cneorum* L.].

DESCRIPTIO: Frutex foliis sempervirens, floribus pallide-roseis, habitu *D. oleoides* similis; foliis, ambitu magnitudineque, *D. cneorum* foliis haud dissimilibus.

An evergreen densely branched shrublet up to 30cm tall and 50cm across, with pale rose *D. oleoides*-like narrow flowers.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 28. 5. 1986, Herb. Halda no. 8605028.

CULTIVATION: *D. x poetica* is completely hardy at Sedlonov. A garden hybrid, raised by J. J. Halda.

***Daphne x pudica* J. J. Halda hybr. nov.**

[*D. petraea* Leyb. x *D. rodriguezii* D. Texidor].

DESCRIPTIO: Fruticulus minimus, ramosissimus, sempervirens, floribus roseis, inter parentes intermedius, habitu *D. petraea* similis.

An evergreen, densely branched dwarf shrublet with tiny cochleate leaves and dull pink flowers.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 11. 6. 1992. Herb. Halda no. 9206011.

CULTIVATION: *D. x pudica* is not hardy at Sedlonov. A garden hybrid, raised by J. J. Halda.

***Daphne raiateensis* (J. W. Moore) J. J. Halda stat. nov.**

[bas: *Wikstroemia raiateensis* J. W. Moore in Bull. Bishop Mus. Honolulu 102:32 (1933)].

***Daphne x splendida* J. J. Halda hybr. nov.**

[*D. arbuscula* Celak. x *D. tangutica* Maxim.].

DESCRIPTIO: Frutex foliis sempervirens, floribus roseis, habitu *D. arbuscula* similis; foliis, ambitu magnitudineque, *D. tangutica* foliis haud dissimilibus.

An evergreen dense shrublet up to 30cm tall and 50cm across with fleshy dark green narrow leaves and heads of large sugar-pink flowers.

HOLOTYPE: Bohemia septentrio-orientalis, viculus Sedlonov, Hortus Botanicus Experimentalis Aquilimontanus. Coll. J. J. Halda 1. 6. 1986. Herb. Halda no. 8606001.

CULTIVATION: *D. x splendida* is hardy at Sedlonov. A garden hybrid, raised by J. J. Halda.

***Daphne taylorii* J. J. Halda spec. nov.**

DESCRIPTIO: Species ex affinitate *D. acutilobae* Rehder, sed ramis hornotinis glabris, foliis obovatis minoris, perianthii pilosi purpurei differt.

Frutex 300-900mm altus, dichotome v. interdum subverticillatim ramosus; rami hornotini et annotini glabri, purpurei vel fusco-rubri. Folia coriacea, obovata vel oblanceolata, cuneata, margine revoluta, 25-40mm longa et 9-22mm lata, supra nitida, apice obtusa vel retusa, breviter petiolata. Flores purpurei, in capitulis 2-5-floris in apice innovationis basi perulis ovato-ellipticis ciliatis caducis instructae, breviter pedicellati pedicellis sericeo-strigosis 3-4mm longis; perianthii tubus cylindricus, 7-12 mm longus, pilosus, lobis 4 ovato-acutis, 3-5mm longis et 3-3.5mm latis; antherae 8, subsessiles, 1.5-1.75mm longae et 0.3-0.4mm latae; ovarium glabrum pyriformis, stylus 0.5mm longus; stigma capitata. Fructus ruber; semen ovoideum, leviter apiculatum, 6-8mm longum, nigrescens, vix nitidum.

HOLOTYPE: L,S&T 4966; leg. Ludlow, Sherriff & Taylor 23. June 1938 (K).


PATRIA et DISTRIBUTIO: SE Tibet, Tamnyen Chu: Kongbo, 3500m; "small shrub up to 3 ft at base of cliff in deep shade. Flowers fragrant. Perianth tube purple."

***Daphne vaccinum* (Leveille) J. J. Halda stat. nov.**

[bas: *Lonicera vaccinum* Leveille, Fl. Kouy-Tcheou p. 64 (1914); *Wikstroemia vaccinum* (Leveille) Rehder in Journ. Arnold Arboretum 15:103 (1934); *Daphne monnula* (Hance) J. J. Halda var. *vaccinum* (Leveille) J. J. Halda in Acta Mus. Richnov., sect. natur. 6(3):207 (1999)].

***Daphne wangeana* (Hamaya) J. J. Halda stat. nov.**


[bas: *Daphne holosericea* (Diels) Hamaya var. *wangeana* Hamaya in Acta Hort. Gotob. 26:90 (1963)].




D. acutiloba Rehder



D. bholua Buchanan-Hamilton



D. caucasica Pallas







D. esquirollii Lévl



D. feddei Lévl




D. formosana (Hayata) Ying



D. jarmilae J. J. Halda



D. kiusiana Miquel




D. kingdon-wardii J. J. Halda




D. kingdon-wardii J. J. Halda (a bud developing)



D. limprichtii H. Winkler



D. luzonica C. B. Robinson




D. ludlowii D. G. Long & S. J. Rae





D. mucronata Royle subsp. *mucronata*




D. mucronata Royle subsp. *turcica* J. J. Halda




D. penicillata Rehder




D. rosmarinifolia Rehder



D. rodriguezii Texidor




D. skipetarum J. J. Halda




D. striata Trattinick




D. tangutica Maximowicz



D. taylorii J. J. Halda



D. jarmilae J. J. Halda (details)



D. taylorii J. J. Halda (details)